


NTSE STAGE II
CODE: 13 – 15
MAT
HINTS & SOLUTIONS


1. **3**
 Sol.



2. **3**
 Sol.


$0.8 \rightarrow (0.8)^3 = 0.512$
 $0.04 \rightarrow (0.04)^3 = 0.000064$

3. **2**
 Sol.




F is sitting third to the left of G.

4. **3**
 Sol.




H and F are sitting next to each other.

5. **2**
 Sol.




ECHFBDG are sitting to the right of A in the same order.

6. 1
Sol.



Clearly, B, C are to the east of A.

7. 4
Sol.



Here, from conclusions we can verify that either I or II and III are the possible conclusions, which is nothing but either I and III follows, or II and III follows.

8. 3
Sol. By observation.

9. 2
Sol. From options we can verify that I represents male trainers who play cricket.

10. 1
Sol. Hindi – C – 2
English – D – 5
Science – B – 1
Maths – A – 3
Sanskrit – E – 4
C teachers Hindi in 2nd period.

11. 2
Sol. Hindi – C – 2
English – D – 5
Science – B – 1
Maths – A – 3
Sanskrit – E – 4
Sanskrit – 4 – E is the correct sequence.

12. 4
Sol. Hindi – C – 2
English – D – 5
Science – B – 1
Maths – A – 3
Sanskrit – E – 4

Mathematics, Science, Hindi, English, Sanskrit is the correct order.

13. **3**

Sol. By observation.

14. **3**

Sol. After interchanging symbols the expression will be:

$$- 33 + 11 - 9 + 28 \div 4 \times 5 = 4$$

15. **1**

Sol. R E A S O N
 -2 +2 -2 +2 -2 +2
 P G Y U M P

Similarly, DIRECT is coded as BKPGAV.

16. **2**

Sol. Given, Age of C = 12
 So, age of Husband = 65
 Hence, Age of Ram = 50

17. **3**

Sol.

Anu	Joy	Pritam	Zeba
Mon (1)	Tues (1)	Wed (1)	Thurs (1)
Fri (1)	Mon (2)	Tues (2)	Wed (2)
Thurs(2)	Fri (2)	Mon (3)	Tues(3)
Wed (3)	Thurs(3)	Fri(3)	

Least number of days = Zeba, 3 days.

18. **1**

Sol.

Anu	Joy	Pritam	Zeba
Mon (1)	Tues (1)	Wed (1)	Thurs (1)
Fri (1)	Mon (2)	Tues (2)	Wed (2)
Thurs(2)	Fri (2)	Mon (3)	Tues(3)
Wed (3)	Thurs(3)	Fri(3)	

Pritam, Zeba and Anu is the required order.

19. **4**

Sol. Required price = $(0.6)(0.4)(1000) = \text{Rs } 240$.


20. **2**

Sol. $(4 \times 5) - (2 + 5) = 13$

$$(6 \times 4) - (7 + 2) = 15$$

Similarly, $(8 \times 3) - (4 + 6) = 14$

21. **2**



22. **4**

Sol. From Guitar comes music as knowledge comes from book.

23. **2**

Sol. Given, Reena = (2 + Rita) = (5 + Zoha)
Reena + Zoha = 3 (Rita - 5)
After solving we get \rightarrow Rita = 14.

24. **3**

Sol. Butter scotch + Vanila = 8 cubes
Chocolate + Butter scotch = 4 cubes
Hence, total 12 cubes are there.

25. **2**

Sol. 8 cubes are there with only butter scotch on them.

26. **3**

Sol. Cube with chocolate coating = 8
Required, answer = $24 - 8 = 16$

27. **1**

Sol. From the question, it was clear that Monica's shadow was to the right of Tanya. Hence, Tanya was facing south. So Monica was facing north.

28. **3**

Sol. By using 2 given statements we get the sequence as:
B/D, A/C, E, A/C, B/D
So, E is sitting between A and C.

29. **2**

Sol. From each race, we are selecting 2 \Rightarrow eliminating 2.
We need to eliminate 14. Hence, 7 races are required.


30. **2**

Sol.

b	c	e	g	k	m	q	s
2	3	5	7	11	13	17	19

31. **None**

Sol.. Required answer must be



Hence, none of the options is correct.

32. **4**

Sol. From the given dices we can observe that:
3 is opposite to 4.
2 is opposite to 6.
5 is opposite to 1

Hence, option 4.

33. **2**

Sol.

2	10	30	68	130	222
\downarrow	\downarrow	\downarrow	\downarrow	\downarrow	\downarrow


$$1^3+1 \quad 2^3+2 \quad 3^3+3 \quad 4^3+4 \quad 5^3+5 \quad 6^3+6$$

34. **3**


Sol. We have,
 T is the wife of S
 S is the son of B
 B is the wife of M
 Hence, option '3' is the answer.

35. **1**

Sol.



(oo)



S – Snakes
 F – Frogs
 B – Birds
 A – Apples

So, either I or II follows and III follows.

36. **None**

Sol. 9^{+14} , 23^{+28} , 51^{+56} , $\frac{107^{+112}}{106}$, 219^{+224} , 443

Here, 107 has to be there in the place of 106.

Note: In the question it was given 643 but it must be 443.

37. **4**

Sol. By observation

38. **4**

Sol. Shree, Amilia > Parul > Ronald > Veena
 Hence, Option 4.

39. **3**

Sol. $1^2 + 5^2 + 7^2 = 75$

$$9^2 + 7^2 + 8^2 = 194$$

Similarly, $8^2 + 3^2 + 4^2 = 89$

40. **1**

Sol. By observation.

41. **2**

Sol. Let 'x' seconds be the gap between two consecutive chimes.

$$\text{So, } 7x = 8$$

$$\Rightarrow x = 8/7 \text{ seconds.}$$

Required answer, $10x = 80/7 = 11.43 \text{ seconds}$

42. **3**

Sol. ABCD, ABDF, ABDH, ABDE
 AFED, FAGD, FACD, AHDG

EDGA, EDCA, CDHA
Hence, option 3.


43. **4**
Sol. Umesh > Kamal > Tarun > Prem > Shyam > Ramesh
Football – Tarun
Cricket – Data not sufficient
Tennis – Insufficient data
Kabaddi – Umesh
Squash – Insufficient data
Volleyball – Ramesh
Umesh plays kabaddi.

44. **1**
Sol. Umesh > Kamal > Tarun > Prem > Shyam > Ramesh
Football – Tarun
Cricket – Data not sufficient
Tennis – Insufficient data
Kabaddi – Umesh
Squash – Insufficient data
Volleyball – Ramesh
Prem is in the fourth place.

45. **4**
Sol. Umesh > Kamal > Tarun > Prem > Shyam > Ramesh
Football – Tarun
Cricket – Data not sufficient
Tennis – Insufficient data
Kabaddi – Umesh
Squash – Insufficient data
Volleyball – Ramesh
Clear, option 4.

46. **3**
Sol. $1218199 \quad 1006480 \quad 814963 \quad 643648 \quad \underline{492535}$
 $\downarrow \quad \downarrow \quad \downarrow \quad \downarrow \quad \downarrow$
 $11^2 9^2 (11 \times 9) \quad 10^2 8^2 (10 \times 8) \quad 9^2 7^2 (9 \times 7) \quad 8^2 6^2 (8 \times 6) \quad 7^2 5^2 (7 \times 5)$

47. **3**
Sol. The pattern followed is:




48. **3**
Sol. T – θ
R – β
A – δ
Y – ε
Hence, option 3.

49. **2**
Sol. $(20)(25) = (10)5 + (15)5 + (20)5 + (25)5 + (30)5$

Total days = 25

50. **3**
Sol.



The maximum length of the rod = AF
We have, $AF^2 = AE^2 + EF^2$

$$AF = \sqrt{(\sqrt{2})^2 + (1)^2} = \sqrt{3}$$

NTSE STAGE II
CODE: 13 – 15
SAT
HINTS & SOLUTIONS

1. **3**
Sol. Aerobic respiration takes place in mitochondria.
2. **2**
Sol. Cow has a special additional part in their stomach to digest cellulose present in the food.
3. **1**
Sol. In touch me not plant leaflets are closed after contact due to change in Turgon pressure.
4. **3**
Sol. Pancreas is known as 'mixocrine or dual gland'.
5. **4**
Sol. Placenta provide nutrition to the foetus during pregnancy in human beings.
6. **4**
Sol. Endocrine glands pour their secretions directly in the blood.
7. **2**
Sol. Cell of meristematic tissues are actively dividing having dense cytoplasm, thin cell wall and no vacuoles or minute vacuole.
8. **3**
Sol. The 4 characteristics present in chordates are
– Notocord
– Pharyngeal gill slits or pouches
– Dorsal tubular nerve cord
– Post anal Tail
9. **3**
Sol. In symbiotic relationship between a bacterium and a root of leguminous plants the bacteria provide NH_4 to plant and the root provides carbon.
10. **1**
Sol. Biological magnification is the Accumulation of chemicals from lower trophic level to higher trophic level.
11. **4**
Sol. Ex – situ conservation—
Strategies include botanical gardens, zoos, conservation stands, gene, pollen, seed, seedling, tissue culture and DNA banks.
12. **2**
Sol. Temperature increases due to the entrapment of infra red radiations.
13. **2**
Sol. A. small pox caused by virus
B. cholera caused by bacteria.

- C. the carrier organism of malaria is female anopheles mosquito
D. deficiency of iron leads to anaemia.

14. **4**

Sol. The phenotype ratio of dihybrid cross is 9:3:3:1

$$\therefore \frac{240 \times 1}{16} = 15$$

This shows wrinkled and green is the recessive character.

15. **2**

Sol. Number of neutrons in one molecule of water(H_2O) = 8


$$\begin{aligned} \text{Number of neutrons in five moles of water} &= 8 \times 5 \times 6.022 \times 10^{23} \\ &= 240.88 \times 10^{23} \\ &= 2.4088 \times 10^{25} \\ &\simeq 2.409 \times 10^{25} \end{aligned}$$

16. **4**

Sol. Sodium is highly reactive, so it will form precipitation of $\text{Cu}(\text{OH})_2$.

Iron is more reactive than copper

So, it displaces copper from aqueous solution of copper sulphate



17. **2**

Sol. A is suspension as particles are visible to naked eye and settle down.

C is solution as beam of light is invisible in it

B and D are colloids as particles are invisible and beam of light visible.

18. **2**

Sol. Alpha particles penetrate through thin aluminium foil and scattering cannot be observed.

19. **3**

Sol. Magnesium ribbon is rubbed with sand paper to remove magnesium oxide layer.

20. **2**

Sol. Formation of CaO from CaCO_3 , Na_2CO_3 from NaHCO_3 and Hg from HgO are undergoing thermal decomposition.

Al from Al_2O_3 is electrolytic decomposition

21. **1**

Sol. X is amphoteric in nature and electropositive

22. **2**

Sol. Z is sodium chloride, which does not conduct electricity in its pure solid state.

23. **4**

Sol. Covalent bonds in NH_4^+ and ionic bond between NH_4^+ and Cl^-

24. **3**


Sol. Sulphur cannot be used as reducing agent

25. **4**

Sol. Number of oxygen atoms = 9.033×10^{23}

$$\text{Number of moles of oxygen atoms} = \frac{9.033 \times 10^{23}}{6.022 \times 10^{23}} = 1.5$$

Mass of 1.5 mole oxygen atoms = $1.5 \times 16 = 24$



Number of moles of hydrogen atoms = $1.5 \times 2 = 3$

26. **4**

Sol. $\text{C}_{13}\text{H}_{26}\text{O}_2$, $\text{C}_2\text{H}_4\text{O}_2$ and $\text{C}_9\text{H}_{18}\text{O}_2$ are in the forms of $\text{C}_n\text{H}_{2n+1}\text{COOH}$ and $\text{C}_7\text{H}_{12}\text{O}_2$ is not in this form.

27. **3**

Sol. Soap foam appears white as it reflects light of all wavelengths

28. **2**

Sol.
$$\frac{(n + 4.8 \times 10^{18}) \times 1.6 \times 10^{-19}}{1} = 1.12$$

$$\Rightarrow n = 2.2 \times 10^{18}$$

29. **3**

Sol. A solenoid of finite length carrying current produces magnetic field like bar magnet.

30. **4**

Sol.
$$i = \frac{30}{10} = 3\text{A} \quad ; \quad V - V_A = 10 \times 1 = 10$$

$$i_1 = 1\text{A (upper branch)} \quad V - V_B = 2 \times 10 = 20$$

$$i_2 = 2\text{A (lower branch)} \quad V_A - V_B = 10\text{V}$$

31. **1**

Sol. Magnetic force does not affect the magnitude of velocity. Because magnetic force always act perpendicular to velocity.

32. **3**

Sol. Force due to electric field changes magnitude of velocity and hence momentum.

33. **3**


Sol.
$$\delta = (i_1 - r_1) + (i_2 - r_2)$$

$$60^\circ = (\theta_i - 30^\circ) + (\theta_e - 30^\circ) \text{ (since } r_1 = r_2 = 30^\circ)$$

$$\Rightarrow \theta_i + \theta_e = 120^\circ$$

$$2\theta_i = 120^\circ \quad \text{(since, } \theta_i = \theta_e)$$

$$\theta_i = \theta_e = 60^\circ$$



34. **1**


Sol. SPEAR should be thrown at actual object which is below the image. LASER will follow refraction of light hence it will bend. So it should be sent towards virtual image.

35. **2**

Sol.
$$\sin \theta = \mu \sin (90^\circ - \theta)$$

$$\tan \theta = \mu = \sqrt{3}$$

$$\theta = 60^\circ, \quad r = 90^\circ - \theta = 30^\circ$$



36. **1**

Sol. $\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$
 $\Rightarrow v = -300 ; u = \infty$
 $\Rightarrow \frac{1}{f} = \frac{1}{-300} - \frac{1}{\infty}$
 $\Rightarrow f = -300$

2nd case

$$\frac{1}{-300} = \frac{1}{-50} - \frac{1}{-d} \Rightarrow d = 60 \text{ cm}$$

37. 4

Sol. From conservation of energy

$$\frac{1}{2}mv^2 + mgh = \frac{1}{2}mv_1^2$$

v_1 is the speed before hitting ground.

38. 3


Sol. $A \frac{h}{2} \times \rho g + A \times \frac{h}{4} \times 2\rho g = mg \dots(i)$

$Ah_1 \times 2\rho g = mg \dots(ii)$

From (i) and (ii)

$$A \frac{h}{2} \times \rho g + A \frac{h}{4} \times 2\rho g = Ah_1 \times 2\rho g$$

$$\Rightarrow h_1 = \frac{h}{2}$$




39. 3

Sol. $F_{\text{net}} = 0$

$$\vec{P}_1 + \vec{P}_2 + \vec{P}_3 = 0$$

$$\Rightarrow V_3 = \sqrt{V_1^2 + V_2^2}$$



40. 1

Sol. $F \times x_1 = KE$

$F \times x_2 = KE$

$$\Rightarrow x_1 = x_2$$

41. 1

Sol. $N = 13Q_1 + 3$

$N = 21Q_2 + 11$

Number lies between 500 and 600. So the only number is 536

\therefore Remainder by 19 = 4

42. 4

Sol. $0.\overline{34} + 0.\overline{34} = 0.68787\dots = 0.\overline{687}$

43. 1

Sol. $P(x) = k(x+1)^2$
 $P(-2) = k(-1)^2 = 2$
 $\Rightarrow k = 2$
 $\therefore P(2) = 2(2+1)^2$
 $= 18$


44. 4
 Sol. $x - y = 2$
 $kx + y = 3$
 $x = \frac{5}{1+k}, y = \frac{3-2k}{1+k}$
 $\Rightarrow 1+k > 0$ and $3-2k > 0$
 $k > -1$ and $k < \frac{3}{2}$

45. 4
 Sol. $\frac{a_{10} - 2a_8}{2a_9}$
 $= \frac{\alpha^{10} - \beta^{10} - 2\alpha^8 + 2\beta^8}{2\alpha^9 - 2\beta^9}$
 $= \frac{\alpha^8(\alpha^2 - 2) - \beta^8(\beta^2 - 2)}{2(\alpha^9 - \beta^9)}$
 $= \frac{\alpha^8(6\alpha) - \beta^8(6\beta)}{2(\alpha^9 - \beta^9)}$
 $= \frac{6(\alpha^9 - \beta^9)}{2(\alpha^9 - \beta^9)}$
 $= 3$

46. 2
 Sol. $S_1 + S_2 + \dots + S_r$
 $= n(1+2+\dots+r) + \frac{n^2}{2}[1+3+5+\dots+(2r-1)]$
 $= \frac{n}{2}(1+3+5+\dots+(2r-1))$
 $= \frac{r(r+1)}{2} \cdot n + \frac{n^2 r^2}{2} - \frac{nr^2}{2}$
 $= \frac{nr(1+nr)}{2}$

47. 2

Sol. $\tan 60 = \frac{h}{b} \Rightarrow h = \sqrt{3}b$
 $\tan 30 = \frac{h}{b+20} \Rightarrow h = \frac{b+20}{\sqrt{3}}$
 So, $\sqrt{3}b = \frac{b+20}{\sqrt{3}}$
 $3b = b+20$
 $b = 10\text{m}$



48. 1

Sol. $\operatorname{cosec} x - \sin x = a$
 $1 - \sin^2 x = a \sin x$
 $\cos^2 x = a \sin x$
 Again, $\sec x - \cos x = b$
 $1 - \cos^2 x = b \cos x$
 $\sin^2 x = b \cos x$
 $\left(\frac{\sin^2 x}{b}\right)^2 = a \sin x$
 So, $\sin^3 x = ab^2$
 $\cos^3 x = a^2b$
 $\sin^2 x + \cos^2 x = 1$
 $(ab^2)^{\frac{2}{3}} + (a^2b)^{\frac{2}{3}} = 1$

49. 3

Sol. When rope = 12 m, area = $\frac{1}{4}\pi(12^2)$
 When rope = 23 m, area = $\frac{1}{4}\pi(23^2)$
 \therefore Increase in area = $\frac{1}{4}\pi(23^2 - 12^2)$
 $= \frac{1}{4} \cdot \frac{22}{7} \cdot 35.11$
 $= 302.5 \text{ m}^2$

50. 1

Sol. Area of triangular field = 924 m^2
 \therefore Area of circular field = 1848 m^2
 \therefore Radius of circular field = $14\sqrt{3} \text{ m}$

51. 3

Sol. $r_1 : r_2 = 1 : 2$
 $\Rightarrow \theta = 120^\circ$ (comparing sector circumference)

$$\therefore r_1 = \frac{\ell}{3}$$

$$\therefore r_2 = \frac{2\ell}{3}$$

$$h_1^2 = \frac{5}{4}r_1^2$$

$$h_2^2 = 8r_2^2$$


$$\therefore \frac{v_1}{v_2} = \frac{r_1^2 \cdot h_1}{r_2^2 \cdot h_2}$$

$$= \sqrt{\frac{r_1^4 \cdot h_1^2}{r_2^4 \cdot h_2^2}}$$

$$= \sqrt{\frac{32}{5} \times \frac{1}{64}}$$

$$= \sqrt{\frac{1}{10}}$$

$$= 1 : \sqrt{10}$$




52. 4

Sol. Size of biggest cube = $\frac{1}{3}$ m

$$\therefore \text{Weight of cube} = \frac{1}{27} \times 90 = 3\frac{1}{3} \text{ kg}$$


53. 4

Sol. $\angle POT = \angle PTO$ (angles opposite to equal sides)
 $\angle RSO = \angle ROS$ (angles opposite to equal sides)
 $\angle POT = \angle ROS$ (Vertically opposite angles)
 $\therefore \angle PTO = \angle RSO$
 $PT \parallel RS$ (Converse of alternate angle theorem)




54. 2

Sol. $\angle ADC = 135^\circ$
 $\therefore \angle BAD + \angle ABC = 135^\circ$
 \therefore option (2) is the valid answer.




55. 4

Sol. $PM = 2\sqrt{R_1 r}$ (direct common tangent)
 $PQ = 2\sqrt{R_1 R_2}$
 $MQ = 2\sqrt{r R_2}$
 $MP + MQ = PQ$
 $2\sqrt{R_1 r} + 2\sqrt{r R_2} = 2\sqrt{R_1 R_2}$
 $\frac{1}{\sqrt{R_2}} + \frac{1}{\sqrt{R_1}} = \frac{1}{\sqrt{r}}$



56. 2

Sol. Let $BP = x \text{ cm} = BQ$
Then, $CP = 5 - x \text{ cm} = CR$
 $AQ = AR$ (tangents from a point to a circle are equal)
 $4 + x = 6 + (5 - x)$
 $x = 3.5$
 $\therefore AQ = 7.5$



57. 3

Sol. Let the centre be (x, y)
 $\sqrt{(x-6)^2 + (y+6)^2} = \sqrt{(x-3)^2 + (y+7)^2}$
 $\Rightarrow 12y - 12x + 72 = 14y - 6x + 58$
 $\Rightarrow 2y + 6x - 14 = 0$
 $\Rightarrow 3x + y = 7 \quad (1)$
Again
 $\sqrt{(x-6)^2 + (y+6)^2} = \sqrt{(x-3)^2 + (y-3)^2}$

$$12y - 12x + 72 = -6x - 6y + 18$$

$$6x - 18y = 54$$

$$x - 3y = 9 \quad (2)$$

$$\therefore x = 3, y = -2$$

58. 4

Sol. Using section formula

$$x = \frac{-3 + 8}{7} = \frac{5}{7}$$

$$y = \frac{12 + 6}{7} = \frac{18}{7}$$

$$x + 2y = k$$

$$\Rightarrow k = \frac{5}{7} + \frac{36}{7}$$

$$= \frac{41}{7}$$

59. 4

Sol. Let the three numbers be $x, 5, y$ (arranged in ascending order)

$$10 + x = \frac{5 + x + y}{3}$$

$$30 + 3x = 5 + x + y$$

$$2x - y = -25 \quad (1)$$

$$\text{Again, } y - 15 = \frac{5 + x + y}{3}$$

$$3y - 45 = 5 + x + y$$

$$x - 2y = -50 \quad (2)$$

Solving, we get $x = 0$ and $y = 25$

$$\therefore \text{Mean of squares} = \frac{0 + 25 + 625}{3}$$

$$= \frac{650}{3} = 216\frac{2}{3}$$

60. 4

Sol. Favourable case = 212

Total cases = 216

$$\therefore \text{Probability} = \frac{53}{54}$$